

decor 350

Roller Blind



decor 350

Roller Blind

The decor 350 roller blind is a dependable and cost-effective way of providing privacy and glare control. Its clean, simple lines together with long-lasting components make it a firm favourite in contract environments.

Made in the UK
Our UK manufacturing facility ensures total quality control, short lead times and low transport costs.

Choose your Style
A range of finishes and accessories are available for seamless coordination with your interior design.

Versatile and Flexible
A range of sizes and mounting configurations make decor 350 suitable for all kinds of windows large and small.

Recyclable
The majority of a decor 350 blind can be recycled, conserving energy and resources for future generations.

Environmentally sustainable fabrics
Choose sustainable fabrics from Decor Systems range to pick up environmental credits.

NBS Plus
decor 350 is in the NBS Plus library making it simple to create consistent specifications


3 Year Warranty
For peace of mind and reduced life cycle costs, decor 350 comes with a 3 year warranty.

Child Safe Options
Specify with confidence, knowing that decor 350 is compliant with the revised BS EN 13120:2009 + A1:2014 standard.

BIM Ready
A BIM model of decor 350 is available, for easy integration into your BIM workflow

Motorised Operation
Powerful motor concealed within the roller tube for effortless operation at the touch of a button.

Bead Chain Operation
stylish metal bead chain for smooth rapid action.



Aluminium Hem Bar
Much more rigid than commonly used plastic hem bar, this keeps the blind looking flat, crisp and smart.

Chain Stops
Prevents the blind from being rolled up or down too far, protecting it from accidental damage.

Metal Bead Chain
Stylish and strong for long service life.

Options

Indicates standard option

FABRIC TYPES

The fabric is the most important part of a blind. decor 350 blinds are available with a wide range of fabrics, to suit your requirements. Some fabrics have anti-microbial treatment, solar reflective coating and recycled content – see our website for the full range. Below are the three main fabric types.



Blackout

These fabrics are made from opaque material to give zero light transmittance. Suited to applications requiring maximum light exclusion such as conference rooms, bedrooms or south facing facades



Glare Control

These fabrics are typically close-woven synthetic yarns, which provide total privacy and diffuse the direct sunlight to create a comfortable environment for reading and using computers.



Screen


These fabrics all have an element of openness in the weave, making them ideal for large areas of glazing where they help attenuate the light without losing visual contact with the outside world. Ideal for open plan offices, atria and circulation spaces.

OPERATION TYPES



Manual Bead Chain

Stylish metal bead chain for smooth rapid action.



Motorised

Powerful motor concealed within the roller tube for effortless operation at the touch of a button.




Spring with Magnetic Brackets

For high risk mental health environments, the blind can be mounted with break-away magnetic brackets to prevent patient self-harm.

ANTI-LIGATURE

TOP PROFILE



None

Standard configuration where there is good substrate to fix to.




Mounting Profile

Used on plasterboard substrates, to spread the load and speed up fixing.



Fascia

Neatly conceals the roller and brackets, and closes the light-gap between the blind and the ceiling




Perimeos Ceiling Recess

Recesses the entire blind into a ceiling for ultimate concealment.

SIDE GUIDES

To keep the blinds steady when windows are open. Also used for sloping glazing applications up to 15 degrees.



Without Guides



Wire Guides


Discreet and cost-effective tensioned stainless steel cable.



Track Guides


Robust aluminium profile guides the blind and minimises gap between fabric and recess.

HEM BAR OPTIONS




Silver Anodised

Cool and contemporary



Powdercoated

Coordinate with colours




Fabric Pocket

Uncluttered and simple

CHILD SAFETY OPTIONS


A legal requirement for chain operated blinds fitted in areas where children under 42 months are likely to be present.

Both these options satisfy the child safety element of BS EN 13120 + A1 2014.



Captive chain break

A device fitted to the chain which comes apart when excessive load is applied. This solution allows you to have chains within 600mm of floor.









Chain retainer

Clear acrylic retainer fixed to window recess. With this solution chains must be shortened to 1500mm from floor.

Technical

CONFIGURATION

					
Rectangular	Sloping Cill	Multiple linked	Double Blind	Forward Roll	Reverse Roll
	The fabric is cut at an angle. Note: the blind cannot be fully retracted	A single chain operates two or more blinds.	Blackout and translucent blinds on the same window for extra flexibility and control	Fabric rolls off the back, closest to the glazing.	Fabric rolls off the front, giving extra clearance for window handles

NBS FORMAT SPECIFICATION

decor 350 Roller Blind

Manufacturer: Decor Systems
 Web: www.decor systems.co.uk
 Email: info@decor systems.co.uk
 Tel: +44 (0)1302 761122

Product reference: Decor 350 Roller Blind

Description: Contract duty roller blind with pressed steel brackets and 3 year warranty

Fabric: Anti-glare, Blackout or Screen Fabrics from Decor Systems ranges

Fabric Colour: TBC from this range

Operation: Manual Bead Chain / Motorised / Decelerator Spring

Top Profile: None / Mounting Profile / Fascia / Perimeos Ceiling Pocket

Side Guides: None / Wire Guides / Track Guides

Bottom Bar: Silver Anodised / Powdercoated to RAL xxxx / Fabric Pocket







Configuration: Rectangular / Sloping Cill / Multiple linked / Double Blind

Roll: Forward Roll / Reverse Roll

Accessories: Child-safe chain retainer / Child-safe captive chain break

SYSTEM DIMENSIONS

All dimensions in millimetres.

				
Small	Medium	Large	Double Blind	
				
Mounting Profile	Fascia	Ceiling Pocket	Anti-ligature Top Fix	Anti-ligature Face Fix

MAXIMUM SIZES

	Min Width	Min Drop	Max Width	Max Drop	Max Area
Chain - Small	200	300	2000	2500	5.0m ²
Chain - Medium	200	300	2500	3750	8.0m ²
Chain - Large	450	300	3000	5000	15.0m ²
Motorised	600	300	3000	5000	15.0m ²
Anti-ligature	450	300	1850	2450	4.3m ²

PRODUCTS

Vertical Blinds	Blackout Blinds
Venetian Blinds	Panel Blinds
Roller Blinds	Curtain Tracks and Poles
Roof Blinds	Cubicle Tracks
Pleated Blinds	Curtains
Roman Blinds	Window Films