



### decor 565

EdgeFast™ Blackout System

The decor 565 EdgeFast™ Blackout System is a proven, dependable solution for total light control. The highlight of the system is the EdgeFast™ side channel. This clever feature locks the fabric securely into the side channels, eliminating fabric pull-out, which is a major source of failure and damage to conventional blackout blinds. Choose from manual chain or crank operation; or go fully automated with standard or silent motor options.



#### Made in the UK

Our UK manufacturing facility ensures total quality control, short lead times and low transport costs.



#### Choose your Style

The blind can be either surface mounted using modern square profile or recessed for a minimalist appearance



### Versatile and Flexible

A range of sizes and mounting configurations make decor 565 suitable for all kinds of windows large and small.



#### Recyclable

The majority of a decor 565 blind can be recycled, conserving energy and resources for future generations.

5 Year Warranty



#### Environmentally sustainable fabrics

Choose sustainable fabrics from Decor Systems range to pick up environmental credits.



#### Inherently Child Safe


For peace of mind and Specify with confidence, reduced life cycle costs, knowing that decor 565 decor 565 comes with is automatically compliant the Decor Systems with the revised BS EN standard 5 year warranty. 13120:2009 + A1:2014 standard.



### Ventilation systems

Compatible with Natural

The EdgeFast™ side channels are able to withstand draughts from open windows.



I T 03030 300 120 I E info@decorsystems.co.uk www.decorsystems.co.uk

## Options

#### Indicates standard option

#### **FABRIC TYPES**

The fabric is the most important part of a blind. Although a blackout fabric is generally selected for room darkening purposes, decor 565 blinds are available with a wide range of fabrics, to suit your requirements. The fabric edge retention can be very useful for situations other than blackout. Some fabrics have anti-microbial treatment, solar reflective coating and recycled content – see our website for the full range. Below are the three main fabric types.



#### Blackout

These fabrics are made from opaque material to give zero light transmittance. Suited to applications requiring maximum light exclusion such as conference rooms, bedrooms or south facing facades



#### Glare Control

These fabrics are typically closewoven synthetic yarns, which provide total privacy and diffuse the direct sunlight to create a comfortable environment for reading and using computers.



#### Screen

These fabrics all have an element of openness in the weave, making them ideal for large areas of glazing where they help attenuate the light without losing visual contact with the outside world. Ideal for open plan offices, atria and circulation spaces.

#### **OPERATION TYPES**



Chain

Available for smaller unit sizes



Revoshaft

Robust operation for public environments.



Motorised

Available in wired and radio control formats for effortless opening.

#### **CASSETTE SIZES**

Choose between surface mounted or recessed. The cassette size required is determined by the blind height and thickness of the fabric.









Small

surface mounted only

Medium

surface mounted only

Large

surface mounted only

Perimeos

recessed or surface mounted

#### SIDE CHANNEL OPTIONS



Reveal Fixed

The most common scenario, suits a typical window recess.



Face Fixed

Used where the window recess is too shallow or has obstructions such as window handles.



#### Recess Fixed

A profile used between adjacent blinds to tie back to the vertical mullion.

#### HARDWARE FINISHES



White Powdercoated

Clean and clinical



Custom RAL Powdercoated

Colourful and coordinated




Anodised


Corporate and Classy

## Technical

#### CONFIGURATION



Rectangular




Sloping Cill

The fabric is cut at an angle. Note: the blind cannot be fully retracted



Forward Roll

Fabric rolls off the back, closest to the glazing.



Reverse Roll

Fabric rolls off the front, furtherest away from the glazing.

#### NBS FORMAT SPECIFICATION

#### decor 565 EdgeFast™ Blackout System

Manufacturer: Decor Systems Web: www.decorsystems.co.uk Email: info@decorsystems.co.uk

Tel: +44(0)1302 761122

**Product reference:** Decor 565 EdgeFast™ Blackout System

Fabric: Blackout fabrics: Decor Tempest / Decor Nebula / Decor Cameo\* or Screen Fabrics: Decor Arctic / Decor Zenith / Decor Monaco\*

Fabric Colour: TBC from this range Configuration: Rectangular / Sloping Cill \*

 $\textbf{Operation:} \ \mathsf{Removable} \ \mathsf{Revoshaft^{TM}} \ / \ \mathsf{Fixed} \ \mathsf{Revoshaft^{TM}} \ / \ \mathsf{Motorised} \ / \ \mathsf{Chain} \ *$ 


Hardware Finish: White Powdercoat / Powdercoated to RAL xxxx / Custom anodised finishes\*

Fixing: Recess fix / Face fix / Reveal Fix\*


Accessories: Centre fixed side channels for adjacent blinds\*

\*Delete as appropriate

#### FIXING OPTIONS




Reveal Fix




Face Fix

#### All dimensions in millimetres




Recess Fix

Small



Medium



Large


# 129 Perimeos


#### MAXIMUM SIZES

Maximum sizes depend on fabric chosen. The below sizes are based on decor Tempest at 400gsm.

Cassette Size:	80mm			I 00mm			125mm		
	Max Width	Max Drop	Max Area	Max Width	Max Drop	Max Area	Max Width	Max Drop	Max Area
Chain	-	-	-	2600	3600	9m²	-	-	-
Revoshaft	2800	2900	6.7m <sup>2</sup>	4000	3600	14.0m <sup>2</sup>	4000	6000	14.0m <sup>2</sup>
Motorised	2800	2900	6.7m²	4000	3000	10.0m <sup>2</sup>	4000	6000	24.0m <sup>2</sup>







#### OTHER PRODUCTS

Vertical Blinds Panel Blinds

Venetian Blinds Curtain Tracks and Poles

Roof Blinds Cubicle Tracks
Pleated Blinds Curtains
Roman Blinds Window Films